

111744

C&D RECYCLING  
ENFORCEMENT REMOVAL ADMINISTRATIVE RECORD FILE \*  
INDEX OF DOCUMENTS

I. ENFORCEMENT DOCUMENTS

1. Incoming Spill Report, 9/7/84. P. 100001-100001.
2. Pollution Report #1, C&D Recycling Corporation, 9/26/84. P. 100002-100003.
3. Letter to Dr. David Stiller, Sandy Valley Farms, from Mr. Jay Rodstein, U.S. EPA, re: Ground water information concerning the C&D Recycling Corporation Site, 11/19/84. P. 100004-100004.
4. Memorandum to Mr. Gerald Heston, U.S. EPA, from Mr. Michael Wilson, U.S. EPA, re: Draft sampling plan for C&D Recycling, 11/15/85. P. 100005-100005.
5. Letter to Mr. and Mrs. Chuck Drasher from Mr. Gerald T. Heston, U.S. EPA, re: Results of water sampling analysis at resident's home, 7/7/86. P. 100006-100007.
6. Letter to Mr. and Mrs. Frymoyer from Mr. Gerald T. Heston, U.S. EPA, re: Results of water sampling analysis at resident's home, 7/7/86. P. 100008-100008.
7. Letter to Mr. and Mrs. Thomas Rock from Mr. Gerald T. Heston, U.S. EPA, re: Results of water sampling analysis at resident's home, 7/7/86. P. 100009-100009.
8. Letter to Ms. Jane Sulima from Mr. Gerald T. Heston, U.S. EPA, re: Results of water sampling analysis at resident's home, 7/7/86. P. 100010-100010.
9. Letter to Ms. Joanne Russel from Mr. Gerald T. Heston, U.S. EPA, re: Results of water sampling analysis at resident's home, 7/7/86. P. 100011-100011.
10. Letter to Mr. and Mrs. Chester Cenzar from Mr. Gerald T. Heston, U.S. EPA, re: Results of water sampling analysis at resident's home, 7/7/86. P. 100012-100012.
11. Letter to Mr. and Mrs. Martin Clarke from Mr. Gerald T. Heston, U.S. EPA, re: Results of water sampling at resident's home, 7/7/86. P. 100013-100013.
12. Letter to Mr. and Mrs. Evancho from Mr. Gerald T. Heston, U.S. EPA, re: Results of water sampling at resident's home, 7/7/86. P. 100014-100014.

\* Administrative Record File available 10/8/92.

13. Letter to Mrs. Sophia Martineek from Mr. Gerald T. Heston, U.S. EPA, re: Results of water sampling at resident's home, 7/7/86. P. 100015-100015.
14. Letter to Mr. and Mrs. Dean Oberst from Mr. Gerald T. Heston, U.S. EPA, re: Results of water sampling at resident's home, 7/7/86. P. 100016-100016.
15. Letter to Mr. and Mrs. Ronald Rapczynski from Mr. Gerald T. Heston, U.S. EPA, re: Results of water sampling at resident's home, 7/7/86. P. 100017-100017.
16. Letter to Mr. and Mrs. Resnick from Mr. Gerald T. Heston, U.S. EPA, re: Results of water sampling analysis at resident's home, 7/7/86. P. 100018-100018.
17. Letter to Mrs. Sharon Rohrbach from Mr. Gerald T. Heston, U.S. EPA, re: Results of water sampling analysis at resident's home, 7/7/86. P. 100019-100019.
18. Memorandum to Mr. Gerry Heston, U.S. EPA, from Mr. Christopher Whallon, Weston-Sper, re: Modification of the C&D Recycling Sampling Plan, 10/9/86. P. 100020-100020.
19. Letter to Mr. Don Becker from Mr. Bill Steuteville, U.S. EPA, re: Draft Removal Order, 3/19/87. P. 100021-100021.
20. Handwritten information concerning sampling results, 5/20/87. P. 100022-100023. A C&D Recycling Site map is attached.
21. Letter to Mr. John A. McKinney, AT&T, from Mr. Denise Parkinson, U.S. EPA, re: Request for review of the remedial and removal order, 7/15/87. P. 100024-100036. An Administrative Order on Consent is attached.
22. Letter to Mr. Don Becker, Pennsylvania Department of Natural (Environmental) Resources (PADER), from Ms. Mary M. Letzkus, U.S. EPA, re: Draft Removal Administrative Order, 8/11/87. P. 100037-100037.
23. Administrative Order on Consent, C&D Recycling Site. AT&T Nice Metals Corporation, Respondent, Docket No. III-87-31-DC, 8/26/87. P. 100038-100051.
24. Letter to Mr. Don Becker, PADER, from Mr. Stephen R. Wassersug, U.S. EPA, re: Consent Agreement and Order, 8/31/87. P. 100052-100052.

25. Letter to Mr. Mark Brown, House Conservation Committee, from Mr. Bruce P. Smith, U.S. EPA, re: Consent Agreement and Order, 8/31/87. P. 100053-100053.
26. Letter to Mr. Robert Cornelia, AT&T Nice Metals Corporation, from Mr. Stephen R. Wassersug, U.S. EPA, re: Consent Agreement and Order, 8/31/87. P. 100054-100054.
27. Memorandum to Ms. Mary Letzkus, U.S. EPA, from Mr. Bill Steuteville, U.S. EPA, re: Issue concerning the disposal or recycling of materials at the C&D Recycling Site, 9/30/87. P. 100055-100057.
28. Letter to Mr. Larry Elder, AT&T, from Mr. Bill Steuteville, U.S. EPA, re: Responses to questions concerning cable casing materials at the C&D Recycling Site, 9/30/87. P. 100058-100059.
29. Report: Analytical Report, Nice Metals, prepared by Wadsworth/Alert Laboratories, Inc., 10/14/87. P. 100060-100075. A letter dated October 22, 1987 concerning the report is attached.
30. Report: Site Security and Erosion and Sedimentation Control Plans, C&D Recycling, Foster Township, Luzerne County, Pennsylvania, prepared by Hart Engineers, Inc., 10/22/87. P. 100076-100091.
31. Report: Site Safety Plan for Site Security and Sedimentation Control, C&D Recycling, Foster Township, Pennsylvania, prepared by Fred C. Hart Associates, Inc., 10/22/87. P. 100092-100128.
32. Letter to Mr. Larry Elder, AT&T Technologies, from Mr. Bill Steuteville, U.S. EPA, re: Clarification of EPA's position on how AT&T can best accomplish the removal of cable casing piles at the C&D Recycling Site, 10/23/87. P. 100129-100131. A draft Amended Administrative Order on Consent is attached.
33. Letter to Mr. William D. Steuteville, U.S. EPA, from Mr. Larry A. Elder, AT&T, re: Removal of one trailer load of cable casings from the C&D Recycling Site by B.E.S. Environmental Specialists, Inc., 1/29/88. P. 100132-100132.
34. Letter to Mr. Kurt Witford, New Jersey Department of Environmental Protection, from Mr. Larry A. Elder, AT&T, re: Request for approval to transport telephone cable casings from the C&D Recycling Site to a New Jersey baling facility, 2/1/88. P. 100133-100134.

35. Report: Cable Casings Removal Plan for C&D Recycling Site, Foster Township, Luzerne County, Pennsylvania, prepared by Hart Engineers, Inc., 3/21/88. P. 100135-100180.
36. Letter to Mr. Larry Elder, AT&T Technologies, from Mr. Bill Steuteville, U.S. EPA, re: Final approval of AT&T's work pursuant to the Removal Consent Agreement and Order, 3/24/88. P. 100181-100181.
37. Letter to Mr. William D. Steuteville, U.S. EPA, from Mr. Larry A. Elder, AT&T, re: Review of a cable casing removal plan, 3/24/88. P. 100182-100182.
38. Letter to Mr. William Steuteville, U.S. EPA, from Mr. Reno P. Ducceschi, PADER, re: Review and comments concerning the C&D Recycling cable casing removal plan, 4/12/88. P. 100183-100184. A letter dated June 20, 1988 concerning the approval of the work plan to remove cable casings is attached.
39. Letter to Mr. Larry Elder, AT&T Technologies, from Mr. Bill Steuteville, U.S. EPA, re: Concerns over the work plan not addressing the issues of the cable casing materials and the removal program, 4/18/88. P. 100185-100186.
40. Letter to Mr. Larry Elder, AT&T, from Ms. Shirlee Schiffman, New Jersey Department of Environmental Protection, re: Response to request for a Departmental opinion on the classification of cable casings, 4/22/88. P. 100187-100188.
41. Letter to Mr. Charles D'Amico, New Jersey Department of Environmental Protection, from Mr. Larry A. Elder, AT&T, re: Request for confirmation of the Department's statement that it does not have any problem with the transporting and baling of cable casings, 5/3/88. P. 100189-100189.
42. Letter to Mr. Larry A. Elder, AT&T, from Ms. Shirlee Schiffman, New Jersey Department of Environmental Protection, re: Response to May 8, 1988 letter concerning the Department's approval of the transport and packing of cable casings, 5/17/88. P. 100190-100190.

43. Letter to Mr. William Steuteville, U.S. EPA, from Mr. Larry A. Elder, AT&T, re: Response to letter dated April 18, 1988 concerning EPA's review of and issues with the work plan for cable casing pile removal, 6/3/88. P. 100191-100193.
44. Amended Administrative Order on Consent, In The Matter Of: C&D Recycling Site. AT&T Nice Metals Corporation, Respondent, Docket No. III-87-31-DC, 7/11/88. P. 100194-100210.
45. Letter to Mr. Don Becker, PADER, from Mr. Stephen R. Wassersug, U.S. EPA, re: Amended Administrative Order on Consent for the C&D Recycling Site, 7/13/88. P. 100211-100211.
46. Letter to Mr. Mark Brown, House Conservation Committee, from Mr. Neil R. Swanson for Mr. Bruce P. Smith, U.S. EPA, re: Amended Administrative Order on Consent for the C&D Recycling Site, 7/13/88. P. 100212-100212.
47. Letter to Mr. Robert Cornelia, AT&T Nice Metals Corporation, from Mr. Stephen R. Wassersug, U.S. EPA, re: Amended Administrative Order on Consent, 7/13/88. P. 100213-100213.
48. Letter to Mr. John A. McKinney, AT&T, from Mr. Denise Parkinson, U.S. EPA, re: Amended Administrative Order on Consent, 7/13/88. P. 100214-100214.
49. Letter to Mr. Larry Elder, AT&T, from Mr. James F. Blasting, Fred C. Hart Associates, Inc., re: Results of water sampling analysis at a resident's home, 12/19/88. P. 100215-100234. The following are attached:
- a) table, Sulima Residence-Tap vs. Well vs. Federal Drinking Water Standards, Summary of Valid Analytical Results;
  - b) C&D Recycling Site, Explanation of Summary Tables, Sulima Well Water Sample;
  - c) C&D Recycling Site, List of Analytical Parameters at Residential Well;
  - d) C&D Recycling Site, Summary of Valid Analytical Results for Sulima, Residential Well Sampling Round 1;
  - e) C&D Recycling Site, Explanation of Summary Tables, Sulima Tap Water Sample;

- f) C&D Recycling Site, List of Analytical Parameters at Sulima Tap;
  - g) C&D Recycling Site, Summary of Valid Analytical Results, Sulima Residence Tap Water;
  - h) two form I's, Inorganic Analysis Data Sheet;
  - i) Compound List-Classical Parameters;
  - j) Pesticide Organic Analysis Data Sheet;
  - k) three Semivolatile Organic Analysis Data Sheets;
  - l) two Volatile Organic Analysis Data Sheets;
50. Results of Water Sampling Tests, (undated). P. 100235-100239.
51. Results of Soil Sampling, (undated). P. 100240-100262. A Sample Locations map is attached.
52. Tables 2-6 through 2-23, Results of Water, Soil and Air Sampling, (undated). P. 100263-100285.